

QUESTIONNAIRE 88 (Version 2)

INTERTANKO'S STANDARD TANKER VOYAGE CHARTERING QUESTIONNAIRE 1988 (Version 2)

(Metric system to be applied, HVPQ reference specified where applicable)

GENERAL INFORMATION		HVPQ Ref
Date Updated:	2014-05-07	
Vessel's name:	M/T BEBEK-E	1.2
IMO number:	7808401	1.3
Vessel's previous name(s):	ISLANDVIEW	1.4-1.7
Flag:	TURKEY	1.8
Port of Registry:	ISTANBUL	1.9
Call sign:	TCSO7	1.11
Inmarsat phone number:	N/A	1.12
Fax number:	N/A	1.13
Email address:	427100057@inmc.eik.com	1.16
Type of vessel:	PRODUCT TANKER	1.17
Type of hull:	DOUBLE BOTTOM	1.19
OWNERSHIP & OPERATION		
Registered owner - Full Style:	ALASONYA DENİZCİLİK TİCARET VE LİMİTED ŞİRKETİ	1.20
Technical operator - Full Style:	ALASONYA DENİZCİLİK TİCARET VE LİMİTED ŞİRKETİ	1.22
Commercial operator - Full Style:	ALASONYA DENİZCİLİK TİCARET VE LİMİTED ŞİRKETİ	1.25
Disponent owner / Bareboat charterer - Full Style:	ALASONYA DENİZCİLİK TİCARET VE LİMİTED ŞİRKETİ	
Number of vessels in Disponent owner's fleet:	4	
BUILDER		
Where Built :	KANREI SHIPYARD – NARUTO / JAPAN	1.26
Date Delivered:	JULY / 1979	1.31
CLASSIFICATION		
Vessel's classification society:		1.34
Class notation:		1.35
If Classification society changed, name of previous society?	N/A	1.36
If Classification society changed, date of change?	N/A	1.37
Last dry-dock:	01 SEPTEMBER 2012	1.38
Last special survey:	01 SEPTEMBER 2012	1.41
Latest CAP Rating (if applicable)	N/A	1.44
Last annual survey:	10.09.2013	1.45
Does the vessel have a statement of compliance issued under the provisions of the Condition Assessment Scheme (CAS)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
DIMENSIONS		
LOA (Length Over All):	93.15 Metres	1.49
Extreme breadth:	13.40 Metres	1.51
KTM (Keel to Masthead):	23.28 Metres	1.54
BCM (Bow to Center Manifold):	43.47 Metres	1.57.1
Lightship parallel body length:	86.02 Metres	1.57.3
Normal ballast parallel body length:	86.02 Metres	1.57.6
Parallel body length at Summer DWT	86.02 Metres	1.57.9
TONNAGES		
Net Tonnage:	1033	1.59
Gross Tonnage:	1598	1.60
Suez Net Tonnage:	N/A	1.61
Panama Net Tonnage:	N/A	1.62

LOADLINE INFORMATION	Freeboard (Metres)	Draft (Metres)	Deadweight (Tonnes)	Displacement (Tonnes)	
Summer:	1.047	5.274	3367.7	4758	1.63
Winter:	1.157	5.164	3256.7	4647.4	1.64
Tropical:	0.937	5.384	3479.7	4870	1.65
Lightship:	4.557	1.743	0	1390.3	1.66
Normal Ballast Condition:	3.38	2.92	1095.90	2486.20	1.67
TPC on summer draft:					
				10.620 Tonnes	1.70
Does vessel have Multiple SDWT?			Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		1.72
If yes what is the maximum assigned Deadweight?			Tonnes		1.73
Air draft (sea level to top of mast/highest point) in normal SBT condition?			20.36 Metres		1.74
RECENT OPERATIONAL HISTORY					
Has vessel been involved in any collision, grounding or pollution incident the past 12 months, full description:			NO		1.77-1.79
CERTIFICATION					
Owners warrant following certificates to be valid throughout the Charter Party period:			Y / N	Expire	
SOLAS Safety Equipment:					2.2
SOLAS Safety Radio:					2.3
SOLAS Safety Construction:					2.4
Load line:			YES	11.09.2014	2.5
IOPPC:					2.6
Safety Management (ISM):					2.8
USCG COC:			NO	N/A	2.11
CLC:			YES	20.02.2015	2.13
US COFR:			NO	N/A	2.15
Certificate of Fitness (Gas/Chemicals):			N/A	N/A	2.16 & 2.17
Certificate of Class:					
ISPS ISSC:					
DOCUMENTATION					
Does the vessel have the following documents on board?					
International Safety Guide for Oil Tankers & Terminals (ISGOTT):			Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		2.28
OCIMF/ICS Ship to Ship Transfer Guide (Petroleum):			Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		2.31
Is the vessel entered with ITOPF?			Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
CREW MANAGEMENT					
Nationality of Master		TURKEY			
Nationality of Officers:		TURKEY			3.1
Nationality of Crew:		TURKEY			3.2
If Officers/Crew employed by a Manning Agency - Full Style:		N/A			3.1 & 3.2
What is the common working language onboard?		TURKISH			3.1
Do key officers understand English?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
In case of Flag Of Convenience (FOC), is the ITF Special Agreement on board?		N/A			
STRUCTURAL CONDITION					
Are cargo tanks coated?		YES			7.1
If Yes, specify type of coating:		ALL BY EPOXY			7.1.1
If cargo tanks are coated, specify to what extent:		N/A			7.1.3
Are slop tanks coated?		NO			
If slop tanks are coated, specify to what extent:		N/A			
CARGO & BALLAST SYSTEMS					
If double hull, is vessel fitted with centreline bulkhead in all cargo tanks?		N/A			8.2
Groups / Tank Capacities		1C: 314.746M3 (F/O) 1W: 489.467M3 (F/O) 2C: 508.142M3 (F/O) 2W: 454.989M3 (D/O)			8.3

	3C: 506.535M3 (F/O) 3W:456.16 M3 (D/O) 4C: 514.282M3 (F/O) 4W: 430 M3 (F/O)	
Total cubic capacity 98% ex slop tank:	F/O: 2763 CBM D/O: 911 CBM	8.4 & 8.6
Slop tank(s) capacity 98%:	5 CBM	8.5 & 8.7
SBT or CBT?	SBT	
If SBT, what percentage of SDWT can vessel maintain with SBT only?	32.5	8.14.2
If SBT, does vessel meet the requirements of MARPOL Reg 13(2)?	YES	8.14.3
Number of natural segregations with double valve:	3	8.15
CARGO PUMPS		
Type:	GEAR PUMP	8.18-8.25
Number:	3	8.18-8.25
Capacity:	3 x 300 cbm/hr	8.18-8.25
GAUGING AND SAMPLING		
Can tank innage/ullage be read from the CCR?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	8.48
Can vessel operate under closed conditions in accordance with ISGOTT 7.6.3?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	8.51
Type of tank gauging system (radar / floating / other)	FLOATING AND MMCS	8.51.1
Are high level alarms fitted and operational in cargo tanks?	YES	8.54
VAPOUR EMISSION CONTROL AND VENTING		
Is a vapour return system fitted?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	8.65
State what type of venting system is fitted:	N/A	8.67
Max loading rate per midships connection for homogenous cargo?	400 Cu. M/Hour	8.79
CARGO MANIFOLDS		
Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	8.80
What is the number of cargo connections per side?	3	8.83
What is the size of cargo connections?	10"	8.84
What is the material of the manifold?	STEEL	8.86
Distance between cargo manifold centres:	848 Millimetres	8.93
Distance ships rail to manifold:	1200 Millimetres	8.95
Distance main deck to centre of manifold:	1696 Millimetres	8.97
Height of manifold connections above the waterline at loaded (Summer Deadweight) condition?	2.743 Metres	8.101
Height of manifold connections above the waterline in normal ballast?	5.076 Metres	8.102
Is vessel fitted with a stern manifold?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	8.104
Number / size reducers:	2pcs.12x10-2pcs.10x8-2 pcs.8x6- 2 pcs.12x6	8.106-8.110
CARGO HEATING		
Type of cargo heating system?	Oil thermal system	8.120
Material of heating system?	STEEL HEATING COIL	8.128
Max load temp:	220 Deg Celsius	
Max temp maintain:	160 Deg Celsius	
IGS & COW		
Is an Inert Gas System (IGS) fitted?	No	9.1
Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen?	No	9.3
Is a Crude Oil Washing (COW) installation fitted?	No	9.17
MOORING ARRANGEMENTS		
Number / length / diameter / breaking strength of wires:	On Drums	
	Focsle: NIL	10.2
	Main deck fwd: NIL	10.3
	Main deck aft: NIL	10.4
	Poop: NIL	10.5
Number / length / diameter / breaking strength of ropes:	On Drums	

Focsle:	1x8 inch-2x6 inch-2x4 inch	10.11
Main deck fwd:	NIL	10.12
Main deck aft:	2x8 inch-3x6 inch	10.13
Poop:	NIL	10.14
	<u>Other Lines</u>	
Focsle:	NIL	10.15
Main deck fwd:	NIL	10.16
Main deck aft:	NIL	10.17
Poop:	NIL	10.18
Number and brake holding power of winches:		
Focsle:		10.22
Main deck fwd:	2x25 MT	10.23
Main deck aft:	2x25 MT	10.24
Poop:		10.25
How many closed chocks and/or fairleads of enclosed type are fitted on:		
Focsle:		
Main deck fwd:		
Main deck aft:		
Poop:		
SINGLE POINT MOORING (SPM) EQUIPMENT		
Fairlead size:	600 X 450 MM	10.48
Does vessel comply with the latest edition of OCIMF 'Recommendations for Equipment Employed in the Mooring of Vessels at Single Point Moorings (SPM)'?	No	10.60
Is vessel fitted with chain stopper(s)?	No	10.61
Number:		10.61.1
Type:		10.61.2
SWL:	Tonnes	10.61.3
Max diameter chain size:	Millimetres	10.62
LIFTING EQUIPMENT		
Derrick(s) - Number / SWL:	1/ SWL:5MT-1/SWL:2MT	10.75
Crane(s) - Number / SWL:	NIL	10.76
ENGINE ROOM		
What type of fuel is used for main propulsion?	MDO	12.5
What type of fuel is used in the generating plant?	MDO	12.14
MISCELLANEOUS		
P & I Club name:		
Last three cargoes (Last / 2 nd Last / 3 rd Last):	HVGO – D/O, F/O – D/O, F/O	
Last three charterers (Last / 2 nd Last / 3 rd Last):	TP, CYE PETROL, CYE PETROL	
Last three voyages (Last / 2 nd Last / 3 rd Last):	TÜTÜNÇİFTLİK/HOPA – ALIĞA / POLİPORT – TÜTÜNÇİFTLİK / POLİPORT	
Date of last SIRE Inspection:	07.03.2013	
Date of last CDI Inspection:	N/A	
Current Oil Major Company Acceptances (TBOOK):	N/A	
Date and place of last Port State Control:	13.09.2012 / ISTANBUL	
Any outstanding deficiencies as reported by any Port State Control?	No	
If yes, provide details:	-	
FOR USA CALLS ONLY		
Qualified individual (QI) - Full Style:	N/A	
Oil Spill Response Organization (OSRO) -Full Style:	N/A	
Has owner, manager, or operator signed the Sea Carrier Initiative agreement with US customs concerning drug smuggling?	N/A	